

**ĐœĐ Đ^{1/2}Ń•Đ⁰Đ Đ¹ Đ[~]Đ^{1/2}Ń,ĐμŃ€Đ^{1/2}ĐμŃ, -
Đ^{1/4}Đ⁰Đ^{3/4}Đ[~]Đ•Đ^{1/2}
Đ⁰Đ^{3/4}Đ^{1/2}Ń,Đ⁰Đ⁰Ń,Đ^{1/2}Ń<Ń... Đ»Đ,Đ^{1/2}Đ.**

ĐŽĐŽĐŽ

ACUVUE OASYS

31.2 Ń€ŃfĐ±.



Â

ĐŸŃ€Đ^{3/4}Đ,Đ•Đ²Đ^{3/4}Đ'Ń•Ń,Đ²Đ^{3/4} Johnson & Johnson Vision care, ĐjĐ"Đ•, Đ~Ń€Đ»Đ°Đ^{1/2}Đ'Đ,Ń•.

ĐŁĐžĐ°Đ°Đ^{3/4}Đ²Đ°Đ°: 6 Đ»Đ,Đ^{1/2}Đ. (Đ±Đ»Đ,Ń•Ń,ĐμŃ€Đ^{3/4}Đ²).

Đ'Đ»Đ°Đ³Đ^{3/4}Ń•Đ^{3/4}Đ'ĐμŃ€ĐŸĐ°Đ^{1/2}Đ,Đμ â€“ 38 %.

ĐšĐ,Ń•Đ»Đ^{3/4}Ń€Đ^{3/4}Đ'Đ^{3/4}ĐžŃ€Đ^{3/4}Đ^{1/2}Đ,Ń†Đ°ĐμĐ^{1/4}Đ^{3/4}Ń•Ń,ŃŒ â€“ 147 Đ"Đ•.

Đ ĐμĐŸĐ,Đ^{1/4} Đ^{1/2}Đ^{3/4}Ń^ĐμĐ^{1/2}Đ,Ń•: - Đ'Đ^{1/2}ĐμĐ²Đ^{1/2}Đ^{3/4}Đ¹ (2 Đ^{1/2}ĐμĐ'ĐμĐ»Đ,Đ),

ĐžŃ€Đ^{3/4}Đ»Đ^{3/4}Đ^{1/2}Đ³Đ,Ń€Đ^{3/4}Đ²Đ°Đ^{1/2}Đ^{1/2}Đ^{3/4}Đμ Đ^{1/2}Đ^{3/4}Ń^ĐμĐ^{1/2}Đ,Đμ (1 Đ^{1/2}ĐμĐ'ĐμĐ»Ń•).

ĐœĐ°Ń,ĐμŃ€Đ,Đ°Đ» â€“ ĐjĐμĐ^{1/2}Đ^{3/4}Ń,,Đ,Đ»Đ°Đ^{3/4}Đ^{1/2} Đ•. Đ•Đ°Đ»Đ,Ń†Đ,Đμ ĐŁĐœ â€“ Ń,,Đ,Đ»ŃŒŃ,Ń€Đ°.

ĐŽĐžŃ,Ń,Đ,Ń†ĐμŃ•Đ°Đ°Ń• Ń•Đ,Đ»Đ° (Đ'Đ,Đ^{3/4}ĐžŃ,Ń€Đ,Đ,Đ): +8,0 Đ'Đ^{3/4} â€“ 12,0.

ĐšĐ°Đ° ŃfŃ...Đ°ĐŸĐ,Đ²Đ°Ń,ŃŒ: Đ^{1/4}Đ^{1/2}Đ^{3/4}Đ³Đ^{3/4}Ń,,ŃfĐ^{1/2}Đ°Ń†Đ,Đ^{3/4}Đ^{1/2}Đ°Đ»ŃŒĐ^{1/2}Ń<Đμ

Ń€Đ°Ń•Ń,Đ²Đ^{3/4}Ń€Ń<. ĐŸŃ€Đ, Đ^{1/2}ĐμĐžŃ€ĐμŃ€Ń<Đ²Đ^{1/2}Đ^{3/4}Đ^{1/4} Đ^{1/2}Đ^{3/4}Ń^ĐμĐ^{1/2}Đ,Đ, ŃfŃ...Đ^{3/4}Đ' Đ^{1/2}ĐμŃ,Ń€ĐμĐ±ŃfĐμŃ,Ń•Ń•.

Â

[Đ~Đ^{1/2}Ń,Đ^{3/4}Ń€Đ^{1/4}Đ°Ń†Đ,Ń• Đ^{3/4} ĐžŃ€Đ^{3/4}Đ'Đ°Đ²Ń†Đμ](#)

ĐœĐ^{1/2}ĐμĐ^{1/2}Đ,Ń• ĐžĐ^{3/4}Đ°ŃfĐžĐ°Ń,ĐμĐ»ĐμĐ¹: Đ•Ń%Đμ Đ^{1/2}ĐμŃ, Đ^{1/4}Đ^{1/2}ĐμĐ^{1/2}Đ,Đ¹ Đ^{3/4}Đ± Ń•Ń,Đ^{3/4}Đ^{1/4}Ń,Đ^{3/4}Đ²Đ°Ń€Đμ.

ĐŸĐ^{3/4}ĐŸĐ°Đ»ŃfĐ¹Ń•Ń,Đ°, Đ²Đ^{3/4}Đ¹Đ'Đ,Ń,Đμ, Ń†Ń,Đ^{3/4}Đ±Ń< Đ^{3/4}Ń•Ń,Đ°Đ²Đ,Ń,ŃŒ Ń•Đ²Đ^{3/4}Đμ

Đ^{1/4}Đ^{1/2}ĐμĐ^{1/2}Đ,Đμ.